

Havoline® Formula SAE 10W-30

Passenger Car Motor Oil



Product description

Havoline® Formula is a resource conserving, multigrade gasoline engine oil for use in passenger car and light truck engines requiring low viscosity, ILSAC GF-6A, API SP performance lubricants under severe operating conditions.

Customer benefits and product features

Customer benefits

- **Long engine life**
Proven metallo-organic anti-wear additive system helps protect engines under severe operating conditions by providing excellent wear control in even the most sophisticated valve train mechanisms, including those with variable valve timing. Low viscosity and multigrade formulation helps reduce internal engine friction.
- **Maintains high power and performance**
Works immediately upon contact with an engine's moving parts to create a protective coating that shields the engine against the deposits that lead to loss of performance. Provides excellent control of piston and ring deposits under high temperature conditions. Special friction modifiers assist in reducing internal engine friction for maximum fuel economy. Works to improve control of LSPI (Low Speed Pre-Ignition) events which helps to protect turbocharged gasoline direct injection engines.
- **Saves on maintenance costs**
High thermal stability and excellent oxidation and nitration resistance provides outstanding protection against in-service oil degradation in both gasoline and gas fuelled engines that contributes to filter blocking and sludge formation in the oil galleries, crankcase and valve train.
- **Reduces fuel consumption**
Specifically tailored viscosity characteristics and effective friction modifier helps to minimize internal engine frictional losses.
- **Low oil consumption**
Low volatility, hydro-cracked base oil helps to minimize oil loss through evaporation.

Product features

- **Havoline® with Deposit Shield™** is an advanced detergent formula that helps prevent deposit build up for improved oil stability and increased engine durability.
- **Havoline® with Deposit Shield™** provides excellent viscosity control that helps maintain engine power and preserve fuel economy.

Havoline[®] Formula SAE 10W-30

Passenger Car Motor Oil



Applications

- Naturally aspirated and turbocharged gasoline engines in passenger cars and light commercial vehicles.
- Naturally aspirated and turbocharged spark ignition engines fueled with CNG, LPG or fitted with gas/gasoline dual fuel systems in passenger cars and light commercial vehicles.
- Light truck gasoline engines.
- Four-stroke gasoline engines in portable power equipment where the manufacturer recommends conventional passenger car motor oils.

Not recommended for use in diesel engines or motorcycle engines.

Product approvals, performance and recommendations

Performance

- API SN and SN Plus and Resource Conserving
- ILSAC GF-5

Havoline[®] Formula SAE 10W-30

Passenger Car Motor Oil



Typical test data

HAVOLINE [®] FORMULA SAE 10W-30	RESULTS
SAE Grade	10W-30
Product Code	500007
Base No., D2896, mg KOH/g	7.5
Phosphorus, m %	0.07
Sulfur, m %	0.2
Viscosity, mm ² /s @ 40°C mm ² /s @ 100°C	70.9 10.4
Viscosity Index	133
Zinc, m %	0.08

2103

This bulletin was prepared in good faith from the best information available at the time of issue. While the values and characteristics are considered representative, some variation, not affecting performance, can be expected. It is the responsibility of the user to ensure that the products are used in the applications for which they are intended. Produced by Chevron Global Lubricants: Africa, Middle East and Pakistan.

ENVIRONMENT, HEALTH and SAFETY. Information is available on this product in the Material Safety Data Sheet (MSDS) and Customer Safety Guide. Customers are encouraged to review this information, follow precautions and comply with laws and regulations concerning product use and disposal. To obtain a MSDS for this product, visit the [Product Information Center](#).

This Product Data Sheet (PDS) was produced for the Asia Pacific region based on the best available information at the time of issue. The specific information included may not directly reflect the market or conditions, and may vary. For the most up-to-date, country-specific information, please contact your local customer service center

[Visit Product Information Center >](#)

Havoline[®] Formula SAE 10W-30/PAK/CHV/PDSv1/072024



A Chevron company product

© 2024 Chevron Products Company. Asia Pacific.
All Rights Reserved.